Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: Tacky Coat White

Product identifier: 100436

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

use:

Water-Based Coating

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Carcinogenicity Category 2

GHS Signal Word: Warning

GHS Hazard Statements: Suspected of causing cancer.

GHS Precautionary Statements:

Safety Precautions: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Page 1 of 9

Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:

Hazards not otherwise

No data available

classified:

	3. Composition/information on ingredients				
٠	Chemical Component:	CAS number and other	% (or range) of ingredient		
		unique identifiers	% (or range) or ingredient		
	Titanium dioxide	13463-67-7	1 - 5		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Flush eyes gently with water for at least 15 minutes, lifting upper &

lower eye lids. Seek immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and

launder. Get medical attention if irritation develops or persists. Remove contaminated clothing and continue flushing with water. Wash affected area thoroughly with soap and water. Seek medical

advice if symptoms persist Wash clothing before reuse.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately If inhaled, remove victim from exposure to a well-ventilated area. Seek immediate medical

attention.

Ingestion: Do not induce vomiting and seek medical attention immediately.

Drink two glasses of water or milk to dilute. Provide medical care

provider with this MSDS. If the material is swallowed, get

immediate medical attention or advice -- Do not induce vomiting.

Most important symptoms/effects, acute and delayed:

Most important No data available

symptoms/effects (Acute):

Most important Triethanolamine: Excessive overexposure to triethanolamine may

symptoms/effects (Delayed): cause skin sensitization.

Indication of immediate medical attention and special treatment

No additional first aid information available

Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:

needed, if necessary:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid. Regular foam Carbon dioxide Dry chemical

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion

Hazards:

Hazardous Combustion

Products:

Special protective equipment and precautions for fire-

fighters:

Material may be ignited only if preheated to temperatures above

the high flash point, for example in a fire.

Carbon dioxide, Carbon monoxide, Acrolein, oxides of nitrogen,

Hydrocarbons

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to

extreme heat.

Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal

protective equipment.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to

the spill.

Methods and materials for containment and cleaning up:

No special spill clean-up considerations. Collect and discard in regular trash. All personnel in the area should be protected as in Section 8. Use an inert absorbent such as sand or vermiculite. Place

in properly labeled closed container.

Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:

7. Handling and storage

Precautions for safe handling: Harmful or irritating material. Avoid contacting and avoid breathing

the material. Use only in a well ventilated area. All hazard

precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Do not take internally. Keep container closed when not in use. Keep out of the

reach of children.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Store

in a cool dry place For maximum product quality, avoid prolonged storage at temperatures above 75 °F (25 °C). Keep away from heat, sparks, and flame Store in a tightly closed container Avoid contact

with incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Halocarbon vapors Water reactive materials

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Titanium dioxide	15 mg/m3	10 mg/m3	No data available

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear chemically resistant safety glasses with side shields when

handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. Splash proof chemical goggles are recommended to

protect against the splash of product.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through

and replace at regular intervals. Clean protective equipment

regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent

Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:

repeated or prolonged skin contact, wear impervious clothing and

boots

Respiratory Protection: Respiratory protection may be required to avoid overexposure

when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible. Respiratory protection may be required in addition to ventilation depending upon conditions of

use

Other Protective Equipment: Splash proof chemical goggles are recommended to protect against

the splash of product. Protective gloves and proper clothing should

be worn to prevent skin contact. Gloves should be made of

neoprene or natural rubber. To prevent repeated or prolonged skin

contact, wear impervious clothing and boots

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid Color: White

Odor:

Odor threshold: No data available

pH: Neutral

Melting Point/Freezing Point (°C): No data available

Initial Boiling Point and Boiling Range (°C): 100

Flash Point (°C):

Evaporation Rate:

Flammability (solid, gas):

No data available

No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%):
Lower Flammable/Explosive Limit (%):
Vapor Pressure:

No data available
No data available

Vapor Density: Heavier than air. Vapors that evolve from this product

will tend to settle and accumulate near the floor.

Relative Density: 1

Solubility(ies): Complete: 100%

Partition coefficient: n-octanol/water: 1.32

Auto-ignition Temperature (°C):

Decomposition Temperature:

Viscosity:

No data available

No data available

No data available

VoC (as packaged-less exempts and water):

0.217 lbs/gal or

VHAP Content by weight – as packaged: 0

Page **5** of **9**

Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous No data available

reactions:

Conditions to avoid (e.g., static discharge, shock, or vibration):Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources

of ignition.
Visible light

Contact with water Contact with air. Contamination

Incompatible materials:

Strong oxidizing agents Halocarbon vapors Water reactive materials Carbon dioxide Carbon monoxide Acreolin oxides of nitrogen

Hazardous decomposition products:

Hydrocarbons

11. Toxicological information

Information on the likely routes

Ingestion, Skin contact, Eye contact, Absorption

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the physical, chemical and toxicological characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and

headache. Excessive inhalation of vapors may cause coughing or sore throat.

Inhalation Toxicity: Harmful! Can cause systemic damage (see "Target Organs)

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Skin Absorption: No absorption hazard in normal industrial use. Causes skin irritation.

Eye Contact: Contact with the eyes may cause moderate to severe eye injury. Eye contact may

result in tearing and reddening, but not likely to permanently injure eye tissue.

Temporary vision impairment (cloudy or blurred vision) is possible. Contact with

liquid or vapor may result in irritation, redness, tearing, and blurred vision.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Causes gastrointestinal tract irritation, nausea, vomiting,

diarrhea and possible ulcerations to mucous membranes.

Ingestion Toxicity:

Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:

Long-Term (Chronic) Health Effects:

Carcinogenicity: Suspected of causing cancer. Not listed by ACGIH, IARC, NIOSH, NTP OR OSHA. **Reproductive and** No data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatigue, nausea and headache. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs)

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates)
Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	Chemical Name OSHA Carcinogen		NTP Carcinogen	
Titanium dioxide	N	Υ	N	

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability: No data available

Bioaccumulative potential: No data

Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish	
Titanium dioxide	ium dioxide Aquatic EC50 (48h)		Aquatic LC50 (96h) >	
	Daphnia > 1000 ml/l		1000 MG/L	

Product Name: Tacky Coat White Product identifier: 100436 Revision Date: 08-19-2016

Replaces:

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is not expected to be a hazardous

waste

Safe Handling of Waste: This material as supplied, if discarded, would be regulated as a

hazardous waste under RCRA (40 CFR 261).

Waste treatment methods

(including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

Waste Disposal Code(s): EPA NON-RCRA

14. Transport information

UN number:

UN proper shipping name:

Not Regulated

No data available

No data available

Packing group:

No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: A component or components of this product are listed on the

TSCA Inventory of Existing Chemical Substances.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Titanium dioxide	13463-67-7	N	N	Υ	Υ
Diethanolamine	111-42-2	N	N	Υ	Υ
1,2 Dibromo-2,4 Dicyanobutane	35691-65-7	N	N	Υ	N
Ethyl acrylate	140-88-5	N	N	Υ	Υ

16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016

Revision Number: 9

Product Name: Tacky Coat White

Product identifier: 100436 **Revision Date:** 08-19-2016

Replaces:

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances