

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier: PINHOLE ELIMINATOR

Stock Number: 104440

Other means of identification:

Synonyms: None Known

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: Elimination of pin holes

Uses advised against: Uses other than recommended use.

1.3 Details of the Supplier of the Safety Data Sheet:

ITW Evercoat
a division of Illinois Tool Works Inc.

6600 Cornell Road
Cincinnati, OH 45242

513-489-7600

Telephone number: 513-489-7600

E-mail address:

1.4 Emergency telephone number:

CHEM TEL: +1-813-248-0591

Poison Centre contact information:

National Poisons Information Service (NPIS)

Email: director.birmingham.unit@npis.org

Website: <http://www.npis.org/>

Ireland National Poison Centre, Beaumont Hospital,

P.O. Box 1297, Beaumont Road, Dublin 9, Ireland

Members of Public: +353 (01) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (01) 809 2566 (24 hour service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Skin Corrosion/Irritation Category 1C

Serious Eye Damage/Eye Irritation Category 1

Reproductive Toxicity Category 1B

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 1

Carcinogenicity Category 2

Flammable Liquid Category 3

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

Hazardous to the aquatic environment - Chronic Category 3

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008 [CLP]:

Hazard pictograms:



Signal Word:

Danger

Hazard Statements:

H226 - Flammable liquid and vapour
H314 - Causes severe skin burns and eye damage
H351 - Suspected of causing cancer
H360FD - May damage fertility May damage the unborn child
H370 - Causes damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure
H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements:

P201 - Obtain special instructions before use.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Supplemental Hazard information (EU):

No data available

2.3 Other hazards:

Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage.

SECTION 3: Composition/information on ingredients

3.1 Substances:

Not applicable

3.2 Mixtures:

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

Chemical Name	%	CAS #	EC No. REACH Registration No.	Classification (EC) No 1272/2008	M Factor	SCL
p-Xylene	0.1 - 1	106-42-3	215-535-7 203-576-3 203-396-5 202-422-2 215-535-7 203-576-3 203-396-5	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Acute Tox. 4 (Dermal); H312 Acute Tox. 4 (Inh Dust/Mist); H332 Eye Irrit. 2; H319 Flam. Liq. 3; H226 Repr. 1B; H360 Skin Irrit. 2; H315 STOT SE 2; H371	No data available	No data available
Ethyl Benzene	1 - 5	100-41-4	202-849-4	Asp. Tox. 1; H304 Acute Tox. 4 (Inh Dust/Mist); H332 Carc. 2; H351 Eye Irrit. 2; H319 Flam. Liq. 2; H225 Repr. 1B; H360 STOT RE 2; H373 STOT SE 2; H371	No data available	No data available
Boric Acid, Sodium Salt	1 - 5	7775-19-1	None Known	Eye Irrit. 2; H319 Repr. 2; H361	No data available	No data available
Methoxy 2-propyl Acetate	5 - 10	108-65-6	203-603-9	Eye Irrit. 2; H319 Flam. Liq. 3; H226 STOT SE 3; H335, H336	No data available	No data available
Ethylene glycol monobutyl ether	7 - 15	111-76-2	203-905-0	Acute Tox. 4 (Dermal); H312 Acute Tox. 4 (Inh Dust/Mist); H332 Acute Tox. 4 (Oral); H302 Eye Irrit. 2; H319 Repr. 2; H361 Skin Irrit. 2; H315 STOT RE 2; H373 STOT SE 1; H370	No data available	No data available

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

Xylene	7 - 15	1330-20-7	215-535-7 203-576-3 203-396-5 202-422-2 215-535-7 203-576-3 203-396-5	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 4 (Dermal); H312 Acute Tox. 4 (Inh Dust/Mist); H332 Eye Irrit. 2; H319 Flam. Liq. 3; H226 Repr. 1B; H360 Skin Irrit. 2; H315 STOT RE 1; H372 STOT SE 1; H370	No data available	No data available
Talc	10 - 30	14807-96-6	None Known	STOT RE 1; H372	No data available	No data available
Sodium silicate glass	10 - 30	1344-09-8	None Known	Acute Tox. 4 (Oral); H302 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1C; H314	No data available	No data available
Dolomite	0.1 - 1	16389-88-1	None Known		No data available	No data available
Iron Oxide Black	0.1 - 1	1317-61-9	None Known	Eye Irrit. 2; H319	No data available	No data available
Benzene	< 0.01	71-43-2	200-753-7	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Acute Tox. 4 (Oral); H302 Carc. 1A; H350 Eye Irrit. 2; H319 Flam. Liq. 2; H225 Muta. 1B; H340 Repr. 2; H361 Skin Irrit. 2; H315 STOT RE 1; H372 STOT SE 1; H370	No data available	No data available

For full text of H-statements see Section 16.

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

SECTION 4: First aid measures

4.1 Description of first aid measures:

Inhalation:

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

Eye contact:

Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Move individual away from exposure.

Skin Contact:

Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist Wash clothing before reuse. Wash affected area thoroughly with soap and water.

Ingestion:

Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this SDS. ASPIRATION HAZARD. If breathing is difficult, give oxygen by trained personnel.

Self protection of the first aider:

No data available

4.2 Most important symptoms and effects, both acute and delayed:

Causes severe skin burns and eye damage. May damage fertility. May damage the unborn child Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed:

Immediately call a doctor.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media:

Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire. Regular foam

Unsuitable extinguishing media:

No data available

5.2 Special hazards arising from the substance or mixture:

Vapours may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). vapours are heavier than air and may travel to a source of ignition and flash back.

Hazardous Combustion Products:

Carbon dioxide, Carbon monoxide, Styrene oxide, Hydrocarbons

5.3 Advice for firefighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

distance and a protected location due to the potential of hazardous vapours and decomposition products. Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Non-emergency personnel:

Non-emergency personnel should be kept clear of the area.

Emergency responders:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

6.2 Environmental precautions:

No data available

6.3 Methods and material for containment and cleaning up:

Small spills:

Refer to information provided for large spills

Large spills:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Environmental precautions Prevent spreading over a wide area Prevent spilled material from contaminating soil, entering sanitary sewers, storm sewers, and drainage systems, and entering bodies of water or ditches that lead to waterways. Do not allow the spilled product to enter public drainage system or open waterways. Dike area to contain the spill and prevent releases to sewers, drains or other waterways. Prevent further leakage or spillage if safe to do so. Keep unnecessary and unprotected personnel from entering the area. Ensure adequate ventilation. All personnel in the area should be protected as in Section 8. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area.

6.4 Reference to other sections:

Refer to section 13 for disposal information

SECTION 7: Handling and storage

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

7.1 Precautions for safe handling:

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Use an appropriate properly fitted respirator if exposures exceed PEL/TLV values. Ground and bond containers when transferring material Do not smoke. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Ensure adequate ventilation. Wash thoroughly after handling Wash clothing before reuse. Do not get in eyes, on skin and clothing Gas, vapour, mist, or dust may be harmful if inhaled.

7.2 Conditions for safe storage, including any incompatibilities:

Conditions for safe storage:

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Store in a tightly closed container Keep away from sources of ignition

Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents, Strong acids, Strong alkalies, Aldehydes, Amines, Halogenated compounds, Isocyanates

7.3 Specific end use(s):

Elimination of pin holes

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

Occupational Exposure limit values:

Chemical Name	United Kingdom - Workplace Exposure Limits (WELs) - TWAs	United Kingdom - Workplace Exposure Limits (WELs) - STELs	United Kingdom - Biological Monitoring Guidance Values
Talc	1 mg/m ³ TWA (respirable dust)	3 mg/m ³ STEL (calculated, respirable dust)	No data available
Xylene	50 ppm TWA; 220 mg/m ³ TWA	100 ppm STEL; 441 mg/m ³ STEL	650 mmol/mol creatinine Medium: urine Time: post shift Parameter: Methyl hippuric acid
Ethylene glycol monobutyl ether	25 ppm TWA; 123 mg/m ³ TWA	50 ppm STEL; 246 mg/m ³ STEL	240 mmol/mol creatinine Medium: urine Time: post shift Parameter: Butoxyacetic acid
Methoxy 2-propyl Acetate	50 ppm TWA; 274 mg/m ³ TWA	100 ppm STEL; 548 mg/m ³ STEL	No data available
Ethyl Benzene	100 ppm TWA; 441 mg/m ³ TWA	125 ppm STEL; 552 mg/m ³ STEL	No data available

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

p-Xylene	No data available	No data available	No data available
Dolomite	No data available	No data available	No data available
Iron Oxide Black	No data available	No data available	No data available
Benzene	No data available	No data available	No data available

DNEL: No data available

PNEC: No data available

8.2 Exposure controls:

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Explosion proof exhaust ventilation should be used. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

Individual protection measures, such as personal protective equipment:

Eye and face protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. An eye wash station must be available where this product is used. Splash proof chemical goggles are recommended to protect against the splash of product.

Skin Protection:

Hand protection: Protective gloves are recommended when prolonged skin contact cannot be avoided.

Other skin protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. To prevent repeated or prolonged skin contact, wear impervious clothing and boots. Gloves should be made of neoprene or natural rubber. Protective gloves and proper clothing should be worn to prevent skin contact.

Respiratory Protection: Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Use a NIOSH approved respirator designed to remove particulate matter and organic solvent vapors.

Thermal Hazards: No data available

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

Environmental exposure controls: No data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance: Paste

Colour: Grey

Odour: No data available

Odour threshold: No data available

pH: No data available

Melting Point/Freezing Point (°F):

Melting point (°F): No data available

Freezing point (°F): No data available

Initial boiling point and boiling range (°C): 139

Flash point (°F): 27

Evaporation Rate (water = 1): No data available

Flammability (solid, gas): No data available

Upper/lower flammability or explosive limits:

Upper flammable or explosive limit, % in air: 7

Lower flammable or explosive limit, % in air: 1

Vapour pressure: No data available

Vapour Density (Air=1): No data available

Relative density (water = 1): Not determined

Solubility(ies): Insoluble

Partition coefficient: n-octanol/water: 1.36

Auto-ignition temperature (°C): No data available

Decomposition temperature (°C): No data available

Viscosity (B-type viscometer @ 60 rpm): No data available

Explosive properties: No data available

Oxidizing properties: No data available

9.2 Other information:

Volatile Organic Chemicals: 12%

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

VOC (as packaged-less exempts and water): 2.9 lbs/gal or 347 g/L

VHAP Content by weight – as packaged (%): 12 %

SECTION 10: Stability and reactivity

- 10.1 Reactivity:** Not expected to be reactive
- 10.2 Chemical stability:** Stable under normal handling conditions
- 10.3 Possibility of hazardous reactions:** None expected under standard conditions of storage
- 10.4 Conditions to avoid:** Sources of ignition, hot surfaces, Open flames
- 10.5 Incompatible materials:** Strong oxidizing agents, Strong acids, Strong alkalies, Aldehydes, Amines, Halogenated compounds, Isocyanates
- 10.6 Hazardous decomposition products:** Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

Acute toxicity:

Chemical Name	ORAL LD50 (rat)	DERMAL LD50 (rabbit)	INHALATION LC50 (rat)
Sodium silicate glass	ORAL LD50 Rat 1960 mg/kg	No data available	No data available
Xylene	No data available	DERMAL LD50 Rabbit > 4350 mg/kg	No data available
Ethylene glycol monobutyl ether	ORAL LD50 Rat 470 mg/kg	No data available	No data available
Methoxy 2-propyl Acetate	No data available	DERMAL LD50 Rabbit > 5 g/kg	No data available
Boric Acid, Sodium Salt	ORAL LD50 Rat 2330 mg/kg	No data available	No data available
Ethyl Benzene	ORAL LD50 Rat 3500 mg/kg	DERMAL LD50 Rabbit 15400 mg/kg	INHALATION LC50-4H Rat 17.4 MG/L

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

pH	No data available
----	-------------------

Classification is based on pH and the components listed in Section 3.

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

Serious eye damage/irritation:

pH	No data available
----	-------------------

Classification is based on pH and the components listed in Section 3.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Classification has been based on toxicological information of the components in Section 3.

Reproductive toxicity:

Classification has been based on toxicological information of the components in Section 3.

STOT-single exposure:

Classification has been based on toxicological information of the components in Section 3.

STOT-repeated exposure:

Classification has been based on toxicological information of the components in Section 3.

Aspiration hazard:

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity:

This material is toxic to aquatic organisms and should not be released to sewage, draining systems or any body of water exceeding concentrations of approved limits under applicable regulations and permits.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Very toxic to aquatic life.

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Sodium silicate glass	1344-09-8	No data available	No data available	96 HR LC50 BRACHYDANIO RERIO 3185 MG/L [SEMI-STATIC] 96 HR LC50

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

				LEPOMIS MACROCHIRUS 301 - 478 MG/L
Talc	14807-96-6	No data available	No data available	96 HR LC50 BRACHYDANIO RERIO > 100 G/L [SEMI-STATIC]
Xylene	1330-20-7	48 HR LC50 GAMMARUS LACUSTRIS 0.6 MG/L 48 HR EC50 WATER FLEA 3.82 MG/L	No data available	96 HR LC50 POECILIA RETICULATA 30.26 - 40.75 MG/L [STATIC] 96 HR LC50 CYPRINUS CARPIO > 780 MG/L 96 HR LC50 CYPRINUS CARPIO 780 MG/L [SEMI- STATIC] 96 HR LC50 PIMEPHALES PROMELAS 23.53 - 29.97 MG/L [STATIC] 96 HR LC50 LEPOMIS MACROCHIRUS 7.711 - 9.591 MG/L [STATIC] 96 HR LC50 LEPOMIS MACROCHIRUS 19 MG/L 96 HR LC50 LEPOMIS MACROCHIRUS 13.1 - 16.5 MG/L [FLOW- THROUGH] 96 HR LC50 ONCORHYNCHUS MYKISS 13.5 - 17.3 MG/L 96 HR LC50 ONCORHYNCHUS

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

				MYKISS 2.661 - 4.093 MG/L [STATIC] 96 HR LC50 PIMEPHALES PROMELAS 13.4 MG/L [FLOW-THROUGH]
Ethylene glycol monobutyl ether	111-76-2	48 HR EC50 DAPHNIA MAGNA > 1000 MG/L 24 HR EC50 DAPHNIA MAGNA 1698 - 1940 MG/L	No data available	96 HR LC50 LEPOMIS MACROCHIRUS 2950 MG/L 96 HR LC50 LEPOMIS MACROCHIRUS 1490 MG/L [STATIC]
Methoxy 2-propyl Acetate	108-65-6	48 HR EC50 DAPHNIA MAGNA > 500 MG/L	No data available	96 HR LC50 PIMEPHALES PROMELAS 161 MG/L [STATIC]
Ethyl Benzene	100-41-4	48 HR EC50 DAPHNIA MAGNA 1.8 - 2.4 MG/L	96 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA 1.7 - 7.6 MG/L [STATIC] 72 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA 2.6 - 11.3 MG/L [STATIC] 96 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA > 438 MG/L 72 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA 4.6 MG/L	96 HR LC50 POECILIA RETICULATA 9.6 MG/L [STATIC] 96 HR LC50 PIMEPHALES PROMELAS 9.1 - 15.6 MG/L [STATIC] 96 HR LC50 LEPOMIS MACROCHIRUS 32 MG/L [STATIC] 96 HR LC50 PIMEPHALES PROMELAS 7.55 - 11 MG/L [FLOW-THROUGH] 96 HR LC50 ONCORHYNCHUS MYKISS 4.2 MG/L [SEMI-STATIC] 96 HR LC50 ONCORHYNCHUS MYKISS 11 - 18

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

				MG/L [STATIC]
--	--	--	--	---------------

- 12.2 Persistence and degradability: No data
12.3 Bioaccumulative potential: No data available
12.4 Mobility in soil: No data available
12.5 Results of PBT and vPvB assessment: No data available

12.6 Other adverse effects: No data available
12.7 Additional information: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

- Disposal methods: Spent or discarded material is a hazardous waste.
Waste codes / waste designations according to LoW: 08 01 11 - waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information

International carriage of dangerous goods by road (ADR), rail or inland waterways:

- 14.1. UN number: UN1263
14.2. UN proper shipping name: Paint
14.3. Transport hazard class(es): 3
14.4. Packing group: III

International carriage of dangerous goods by sea (IMDG/IMO):

- 14.1. UN number: UN1263
14.2. UN proper shipping name: Paint
14.3. Transport hazard class(es): 3
14.4. Packing group: III

International carriage of dangerous goods by air (IATA):

- 14.1. UN number: UN1263
14.2. UN proper shipping name: Paint
14.3. Transport hazard class(es): 3
14.4. Packing group: III

- 14.5. Environmental hazards: Yes
14.6. Special precautions for user: No data available

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Chemical Name	EINECS	SVHC
Sodium silicate glass	Yes	No
Talc	Yes	No
Xylene	Yes	No
Ethylene glycol monobutyl ether	Yes	No
Methoxy 2-propyl Acetate	Yes	No
Boric Acid, Sodium Salt	Yes	No
Ethyl Benzene	Yes	No
p-Xylene	Yes	No
Iron Oxide Black	Yes	No
Benzene	Yes	No

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Revision Date: 20-06-2017

Abbreviations and acronyms: No data available

Key literature references and sources for data: No data available

Hazard phrase(s) referenced in section 3
H225 - Highly flammable liquid and vapour
H226 - Flammable liquid and vapour
H290 - May be corrosive to metals
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H312 - Harmful in contact with skin

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H340 - May cause genetic defects
H350 - May cause cancer
H351 - Suspected of causing cancer
H360 - May damage fertility or the unborn child
H361 - Suspected of damaging fertility or the unborn child
H371 - May cause damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements:

Prevention:

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash with soap and water thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 104440

Revision Date: 20-06-2017

This document replaces SDS dated: 06-12-2016

PINHOLE ELIMINATOR

contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P321 - Specific treatment (see Sections 4 to 8 on the SDS and any additional information on the label).

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use an appropriate extinguisher (see section 5) to extinguish.

Storage:

P233 - Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

Disposal:

P501 - Dispose of contents in accordance with your local disposal company along with national/international regulations.

Disclaimer of Liability:

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.